















- [2] K. Kiratiratanapruk et al., "Development of Paddy Rice Seed Classification Process using Machine Learning Techniques for Automatic Grading Machine," *J. Sensors*, vol. 2020, 2020, doi: 10.1155/2020/7041310.
- [3] S. D. Fabiyi et al., "Varietal Classification of Rice Seeds Using RGB and Hyperspectral Images," *IEEE Access*, vol. 8, no. 1, pp. 22493–22505, 2020, doi: 10.1109/ACCESS.2020.2969847.
- [4] J. Gupta and Neelam, "Identification and Classification of Rice varieties using Mahalanobis Distance by Computer Vision," *Int. J. Sci. Res. Publ.*, vol. 5, no. 5, pp. 1–6, 2015.
- [5] D. Joshi et al., "Label-free non-invasive classification of rice seeds using optical coherence tomography assisted with deep neural network," *Opt. Laser Technol.*, vol. 137, no. January, p. 106861, 2021, doi: 10.1016/j.optlastec.2020.106861.
- [6] M. M. Tin, K. L. Mon, E. P. Win, and S. S. Hlaing, "Myanmar Rice Grain Classification Using Image Processing Techniques," *Adv. Intell. Syst. Comput.*, vol. 744, pp. 324–332, 2019, doi: 10.1007/978-981-13-0869-7\_36.
- [7] Z. Y. Liu, F. Cheng, Y. Bin Ying, and X. Q. Rao, "Identification of rice seed varieties using neural network," *J. Zhejiang Univ. Sci.*, vol. 6 B, no. 11, pp. 1095–1100, 2005, doi: 10.1631/jzus.2005.B1095.
- [8] Y. Ogawa, *Quality Evaluation of Rice*, Second Edi. Elsevier Inc., 2016.
- [9] P. R. Armstrong et al., "Detection of chalk in single kernels of long-grain milled rice using imaging and visible/near-infrared instruments," *Cereal Chem.*, vol. 96, no. 6, pp. 1103–1111, 2019, doi: 10.1002/cche.10220.
- [10] T. Ahmed, C. R. Rahman, and M. F. M. Abid, "Rice Grain Disease Identification Using Dual Phase Convolutional Neural Network Based System Aimed at Small Dataset," *agriRxiv*, vol. 2021, no. 1, pp. 1–14, 2021, doi: 10.31220/agrxiv.2021.00062.
- [11] P. Mookdarsanit and L. Mookdarsanit, "PhosopNet: An improved grain localization and classification by image augmentation," *Telkomnika (Telecommunication Comput. Electron. Control.)*, vol. 19, no. 2, pp. 479–490, 2021, doi: 10.12928/TELKOMNIKA.v19i2.18321.
- [12] Y. Toda et al., "Training instance segmentation neural network with synthetic datasets for crop seed phenotyping," *Commun. Biol.*, vol. 3, no. 1, pp. 1–12, 2020, doi: 10.1038/s42003-020-0905-5.
- [13] M. Uddin, M. A. Islam, M. Shajalal, M. A. Hossain, and M. S. I. Yousuf, "Paddy seed variety identification using T20-HOG and Haralick textural features," *Complex Intell. Syst.*, vol. 8, no. 1, pp. 657–671, 2022, doi: 10.1007/s40747-021-00545-0.
- [14] P. T. T. Hong, T. T. T. Hai, L. T. Lan, V. T. Hoang, V. Hai, and T. T. Nguyen, "Comparative Study on Vision Based Rice Seed Varieties Identification," *Proc. - 2015 IEEE Int. Conf. Knowl. Syst. Eng. KSE 2015*, pp. 377–382, 2015, doi: 10.1109/KSE.2015.46.
- [15] B. Lurstwut and C. Pornpanomchai, "Image analysis based on color, shape and texture for rice seed (*Oryza sativa* L.) germination evaluation," *Agric. Nat. Resour.*, vol. 51, no. 5, pp. 383–389, 2017, doi: 10.1016/j.anres.2017.12.002.
- [16] A. A. Aznan, R. Ruslan, I. H. Rukunudin, F. A. Azizan, and A. Y. Hashim, "Rice seed varieties identification based on extracted colour features using image processing and artificial neural network (ANN)," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 6, pp. 2220–2225, 2017, doi: 10.18517/ijaseit.7.6.2990.
- [17] H. Nguyen-Quoc and V. T. Hoang, "Rice seed image classification based on HOG descriptor with missing values imputation," *Telkomnika (Telecommunication Comput. Electron. Control.)*, vol. 18, no. 4, pp. 1897–1903, 2020, doi: 10.12928/telkomnika.v18i4.14069.
- [18] K. Aukkapinyo, S. Sawangwong, P. Pooyoi, and W. Kusakunniran, "Localization and Classification of Rice-grain Images Using Region Proposals-based Convolutional Neural Network," *Int. J. Autom. Comput.*, vol. 17, no. 2, pp. 233–246, 2020, doi: 10.1007/s11633-019-1207-6.
- [19] S. Kido, Y. Hirano, and N. Hashimoto, "Detection and classification of lung abnormalities by use of convolutional neural network (CNN) and regions with CNN features (R-CNN)," *2018 Int. Work. Adv. Image Technol. IWAIT 2018*, pp. 1–4, 2018, doi: 10.1109/IWAIT.2018.8369798.
- [20] Kurnianingsih et al., "Segmentation and Classification of Cervical Cells Using Deep Learning," *IEEE Access*, vol. 7, no. 1, pp. 116925–116941, 2019, doi: 10.1109/ACCESS.2019.2936017.
- [21] B. Zhao, J. Feng, X. Wu, and S. Yan, "A Survey on Deep Learning-based Fine-grained Object Classification and Semantic Segmentation," *Int. J. Autom. Comput.*, vol. 14, no. 2, pp. 119–135, 2017, doi: 10.1007/s11633-017-1053-3.
- [22] J. G. A. Barbedo, "Impact of dataset size and variety on the effectiveness of deep learning and transfer learning for plant disease classification," *Elsevier Comput. Electron. Agric.*, vol. 153, no. July, pp. 46–53, 2018, doi: 10.1016/j.compag.2018.08.013.
- [23] F. Chollet, "Xception: Deep learning with depthwise separable convolutions," *Proc. - 30th IEEE Conf. Comput. Vis. Pattern Recognition, CVPR 2017*, vol. 2017-Janua, no. 1, pp. 1800–1807, 2017, doi: 10.1109/CVPR.2017.195.
- [24] C. Shorten and T. M. Khoshgoftaar, "A survey on Image Data Augmentation for Deep Learning," *J. Big Data*, vol. 6, no. 1, 2019, doi: 10.1186/s40537-019-0197-0.
- [25] A. R. Pazoki, F. Farokhi, and Z. Pazoki, "Classification Of Rice Grain Varieties Using Two Artificial Neural Networks (MLP And Neuro-Fuzzy)," *J. Anim. Plant Sci.*, vol. 24, no. 1, pp. 336–343, 2014.
- [26] W. Liu, S. Zeng, G. Wu, H. Li, and F. Chen, "Rice seed purity identification technology using hyperspectral image with lasso logistic regression model," *Sensors*, vol. 21, no. 13, p. 4384, 2021, doi: 10.3390/s21134384.
- [27] B. Filipović, V., Panić, M., Brdar, S., & Brkljač, "Significance of Morphological Features in Rice Variety Classification Using Hyperspectral Imaging," *Int. Symp. Image Signal Process. Anal.*, vol. IEEE, pp. 171–176, 2021, doi: 10.1109/ISPA52656.2021.9552086.
- [28] S. Qadri et al., "Machine vision approach for classification of rice varieties using texture features," *Int. J. Food Prop.*, vol. 24, no. 1, pp. 1615–1630, 2021, doi: 10.1080/10942912.2021.1986523.
- [29] Y. Hamid, S. Wani, A. B. Soomro, A. A. Alwan, and Y. Gulzar, "Smart seed classification system based on MobileNetV2 architecture," in *2022 2nd International Conference on Computing and Information Technology (ICCIT)*, 2022, pp. 217–222, doi: 10.1109/ICCIT52419.2022.9711662.
- [30] N. A. Mohidem, N. Hashim, R. Shamsudin, and H. Che Man, "Rice for food security: Revisiting its production, diversity, rice milling process and nutrient content," *Agriculture*, vol. 12, no. 6, p. 741, 2022, doi: 10.3390/agriculture12060741.