













- [15] A. E. Minarno, F. D. Setiawan Sumadi, H. Wibowo, and Y. Munarko, "Classification of batik patterns using K-Nearest neighbor and support vector machine," *Bulletin of Electrical Engineering and Informatics*, vol. 9, no. 3, pp. 1260–1267, Jun. 2020, doi: 10.11591/eei.v9i3.1971.
- [16] A. E. Minarno, A. S. Maulani, A. Kurniawardhani, F. Bimantoro, and N. Suciati, "Comparison of Methods for Batik Classification Using Multi Texton Histogram," *Telkomnika (Telecommunication Computing Electronics and Control)*, vol. 16, no. 3, p. 1358, Jun. 2018, doi: 10.12928/telkomnika.v16i3.7376.
- [17] H. Hambali, M. Mahayadi, and ..., "Classification of Lombok Songket Cloth Image Using Convolution Neural Network Method (CNN)," *Pilar Nusa Mandiri pilar*, vol. 17, no. 2, pp. 149–156, 2021, doi:10.33480/pilar.v17i2.2705.
- [18] D. Hardiyanto, S. Kristiyana, D. Kurniawan, and D. A. Sartika, "Klasifikasi Motif Citra Batik Yogyakarta Menggunakan Metode Adaptive Neuro Fuzzy Inference System," *Setrum : Sistem Kendali-Tenaga-elektronika-telekomunikasi-komputer*, vol. 8, no. 2, p. 229, Dec. 2019, doi: 10.36055/setrum.v8i2.6545.
- [19] D. Trimakno and Kusriani, "Impact of Augmentation on Batik Classification using Convolution Neural Network and K-Nearest Neighbor," 2021 4th International Conference on Information and Communications Technology (ICOIACT), Aug. 2021, doi:10.1109/icoiact53268.2021.9564000.
- [20] F. A. Putra et al., "Classification of Batik Authenticity Using Convolutional Neural Network Algorithm with Transfer Learning Method," 2021 Sixth International Conference on Informatics and Computing (ICIC), Nov. 2021, doi: 10.1109/icic54025.2021.9632937.
- [21] Yuhandri, S. Madenda, E. P. Wibowo, and - Karmilasari, "Pattern Recognition and Classification Using Backpropagation Neural Network Algorithm for Songket Motifs Image Retrieval," *International Journal on Advanced Science, Engineering and Information Technology*, vol. 7, no. 6, p. 2343, Dec. 2017, doi:10.18517/ijaseit.7.6.2200.
- [22] O. N. Oyelade, A. E.-S. Ezugwu, T. I. A. Mohamed, and L. Abualigah, "Ebola Optimization Search Algorithm: A New Nature-Inspired Metaheuristic Optimization Algorithm," *IEEE Access*, vol. 10, pp. 16150–16177, 2022, doi: 10.1109/access.2022.3147821.
- [23] Z. Wu et al., "Studies on Different CNN Algorithms for Face Skin Disease Classification Based on Clinical Images," *IEEE Access*, vol. 7, pp. 66505–66511, 2019, doi: 10.1109/access.2019.2918221.
- [24] A. Basher, B. C. Kim, K. H. Lee, and H. Y. Jung, "Volumetric Feature-Based Alzheimer's Disease Diagnosis From sMRI Data Using a Convolutional Neural Network and a Deep Neural Network," *IEEE Access*, vol. 9, pp. 29870–29882, 2021, doi:10.1109/access.2021.3059658.
- [25] P. Sivakumar, N. S. R. Mohan, P. Kavya, and P. V. S. Teja, "Leaf Disease Identification: Enhanced Cotton Leaf Disease Identification Using Deep CNN Models," 2021 IEEE International Conference on Intelligent Systems, Smart and Green Technologies (ICISSGT), Nov. 2021, doi: 10.1109/icissgt52025.2021.00016.
- [26] T. X. Hui, S. Kasim, M. F. Md Fudzee, Z. Abdullah, R. Hassan, and A. Erianda, "A Microarray Data Pre-processing Method for Cancer Classification," *JOIV : International Journal on Informatics Visualization*, vol. 6, no. 4, p. 784, Dec. 2022, doi:10.30630/joiv.6.4.1523.
- [27] B. Khagi and G.-R. Kwon, "3D CNN based Alzheimer's diseases classification using segmented Grey matter extracted from whole-brain MRI," *JOIV : International Journal on Informatics Visualization*, vol. 5, no. 2, pp. 200–205, Jun. 2021, doi: 10.30630/joiv.5.2.572.
- [28] Norhikmah, A. Lutfhi, and - Rumini, "The Effect of Layer Batch Normalization and Dropout of CNN model Performance on Facial Expression Classification," *JOIV : International Journal on Informatics Visualization*, vol. 6, no. 2–2, p. 481, Aug. 2022, doi:10.30630/joiv.6.2-2.921.
- [29] H.-H. Chen, B.-J. Hwang, J.-S. Wu, and P.-T. Liu, "The Effect of Different Deep Network Architectures upon CNN-Based Gaze Tracking," *Algorithms*, vol. 13, no. 5, p. 127, May 2020, doi:10.3390/a13050127.
- [30] L. R. Yee, H. Kamaludin, N. Z. M. Safar, N. Wahid, N. Abdullah, and D. Meidelfi, "Intelligence Eye for Blinds and Visually Impaired by Using Region-Based Convolutional Neural Network (R-CNN)," *JOIV : International Journal on Informatics Visualization*, vol. 5, no. 4, p. 409, Dec. 2021, doi: 10.30630/joiv.5.4.735.
- [31] J. Wu, J. Ma, F. Liang, W. Dong, G. Shi, and W. Lin, "End-to-End Blind Image Quality Prediction With Cascaded Deep Neural Network," *IEEE Transactions on Image Processing*, vol. 29, pp. 7414–7426, 2020, doi: 10.1109/tip.2020.3002478.
- [32] S. Park and T. Suh, "Speculative Backpropagation for CNN Parallel Training," *IEEE Access*, vol. 8, pp. 215365–215374, 2020, doi:10.1109/access.2020.3040849.
- [33] R. Aprianti, K. Evandari, R. A. Pramunendar, and Moch. Soeleman, "Comparison Of Classification Method On Lombok Songket Woven Fabric Based On Histogram Feature," 2021 International Seminar on Application for Technology of Information and Communication (iSemantic), Sep. 2021, doi: 10.1109/isemantic52711.2021.9573223.
- [34] Y. He, Z. Lu, J. Wang, S. Ying, and J. Shi, "A Self-Supervised Learning Based Channel Attention MLP-Mixer Network for Motor Imagery Decoding," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 30, pp. 2406–2417, 2022, doi:10.1109/tnsre.2022.3199363.
- [35] A. Jamali, M. Mahdianpari, F. Mohammadimanesh, B. Brisco, and B. Salehi, "3-D Hybrid CNN Combined With 3-D Generative Adversarial Network for Wetland Classification With Limited Training Data," *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, vol. 15, pp. 8095–8108, 2022, doi:10.1109/jstars.2022.3206143.
- [36] Y. Sun, M. Wang, C. Wei, Y. Zhong, and J. Xiang, "Heterogeneous Spectral-Spatial Network With 3D Attention and MLP for Hyperspectral Image Classification Using Limited Training Samples," *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, vol. 16, pp. 8702–8720, 2023, doi:10.1109/jstars.2023.3271901.
- [37] L. Zhang, Y. Zhu, H. Wu, and K. Li, "An Optimized Multisource Bilinear Convolutional Neural Network Model for Flame Image Identification of Coal Mine," *IEEE Access*, vol. 10, pp. 47284–47300, 2022, doi: 10.1109/access.2022.3170464.
- [38] G. Yildiz, A. Ulu, B. Dızdaroglu, and D. Yildiz, "Hybrid Image Improving and CNN (HIICNN) Stacking Ensemble Method for Traffic Sign Recognition," *IEEE Access*, vol. 11, pp. 69536–69552, 2023, doi: 10.1109/access.2023.3292955.
- [39] H. Samma, S. A. Suandi, N. A. Ismail, S. Sulaiman, and L. L. Ping, "Evolving Pre-Trained CNN Using Two-Layers Optimizer for Road Damage Detection From Drone Images," *IEEE Access*, vol. 9, pp. 158215–158226, 2021, doi: 10.1109/access.2021.3131231.
- [40] D. Lambhate, R. Sharma, J. Clark, A. Gangopadhyay, and D. Subramani, "W-Net: A Deep Network for Simultaneous Identification of Gulf Stream and Rings From Concurrent Satellite Images of Sea Surface Temperature and Height," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 60, pp. 1–13, 2022, doi:10.1109/tgrs.2021.3096202.
- [41] X. Yang, L. Zhang, and Z. Wu, "A Unified Convolutional Neural Network Classifier Aided Intelligent Channel Decoder for Coexistent Heterogeneous Networks," *IEEE Systems Journal*, vol. 15, no. 4, pp. 5630–5633, Dec. 2021, doi: 10.1109/jsyst.2020.3040287.
- [42] X. Feng and L. Pu, "High-Performance Visual Tracking Based on High-Order Pooling Network," *IEEE Access*, vol. 10, pp. 102957–102967, 2022, doi: 10.1109/access.2022.3208579.