















- [7] R. Ahmad, I. Alsmadi, W. Alhamdani, and L. Tawalbeh, "A comprehensive deep learning benchmark for IoT IDS," *Computers & Security*, vol. 114, p. 102588, Mar. 2022, doi:10.1016/j.cose.2021.102588.
- [8] A. Y. Hussein, P. Falcarin, and A. T. Sadiq, "Enhancement performance of random forest algorithm via one hot encoding for IoT IDS," *Periodicals of Engineering and Natural Sciences (PEN)*, vol. 9, no. 3, p. 579, Aug. 2021, doi: 10.21533/pen.v9i3.2204.
- [9] O. O. Akinola, A. E. Ezugwu, J. O. Agushaka, R. A. Zitar, and L. Abualigah, "Multiclass feature selection with metaheuristic optimization algorithms: a review," *Neural Computing and Applications*, vol. 34, no. 22, pp. 19751–19790, Aug. 2022, doi:10.1007/s00521-022-07705-4.
- [10] "Stacked Ensemble-IDS Using NSL-KDD Dataset," *Journal of Pharmaceutical Negative Results*, vol. 13, no. SO3, Jan. 2022, doi:10.47750/pnr.2022.13.s03.057.
- [11] D. Protić, "Review of KDD Cup '99, NSL-KDD and Kyoto 2006+ datasets," *Vojnotehnicki glasnik*, vol. 66, no. 3, pp. 580–596, 2018, doi: 10.5937/vojtehg66-16670.
- [12] R. Panigrahi and S. Borah, "A detailed analysis of CICIDS2017 dataset for designing Intrusion Detection Systems," *International Journal of Engineering and Technology(UAE)*, vol. 7, no. 3.24 Special Issue 24, 2018.
- [13] A. Boukhamla and J. C. Gaviro, "CICIDS2017 dataset: performance improvements and validation as a robust intrusion detection system testbed," *International Journal of Information and Computer Security*, vol. 16, no. 1/2, p. 20, 2021, doi: 10.1504/ijics.2021.117392.
- [14] Z. K. Maseer, R. Yusof, N. Bahaman, S. A. Mostafa, and C. F. M. Foozy, "Benchmarking of Machine Learning for Anomaly Based Intrusion Detection Systems in the CICIDS2017 Dataset," *IEEE Access*, vol. 9, pp. 22351–22370, 2021, doi:10.1109/access.2021.3056614.
- [15] A. Aldallal, "Toward Efficient Intrusion Detection System Using Hybrid Deep Learning Approach," *Symmetry*, vol. 14, no. 9, p. 1916, Sep. 2022, doi: 10.3390/sym14091916.
- [16] J.-S. Pan, A.-Q. Tian, S.-C. Chu, and J.-B. Li, "Improved binary pigeon-inspired optimization and its application for feature selection," *Applied Intelligence*, vol. 51, no. 12, pp. 8661–8679, Apr. 2021, doi:10.1007/s10489-021-02302-9.
- [17] A. L. Bolaji, F. Z. Okwonu, P. B. Shola, B. S. Balogun, and O. D. Aduhisi, "A Modified Binary Pigeon-Inspired Algorithm for Solving the Multi-dimensional Knapsack Problem," *Journal of Intelligent Systems*, vol. 30, no. 1, pp. 90–103, Jul. 2020, doi: 10.1515/jisys-2018-0450.
- [18] A.-Q. Tian, S.-C. Chu, J.-S. Pan, and Y. Liang, "A Novel Pigeon-Inspired Optimization Based MPPT Technique for PV Systems," *Processes*, vol. 8, no. 3, p. 356, Mar. 2020, doi: 10.3390/pr8030356.
- [19] Q. Feng et al., "Resilience optimization for multi-UAV formation reconfiguration via enhanced pigeon-inspired optimization," *Chinese Journal of Aeronautics*, vol. 35, no. 1, pp. 110–123, Jan. 2022, doi:10.1016/j.cja.2020.10.029.
- [20] H. Qiu and H. Duan, "A multi-objective pigeon-inspired optimization approach to UAV distributed flocking among obstacles," *Information Sciences*, vol. 509, pp. 515–529, Jan. 2020, doi:10.1016/j.ins.2018.06.061.
- [21] B. H. Wang, D. B. Wang, and Z. A. Ali, "A Cauchy mutant pigeon-inspired optimization-based multi- unmanned aerial vehicle path planning method," *Measurement and Control*, vol. 53, no. 1–2, pp. 83–92, Jan. 2020, doi: 10.1177/0020294019885155.
- [22] Z. Zhao et al., "Hierarchical Pigeon-Inspired Optimization-Based MPPT Method for Photovoltaic Systems Under Complex Partial Shading Conditions," *IEEE Transactions on Industrial Electronics*, vol. 69, no. 10, pp. 10129–10143, Oct. 2022, doi:10.1109/tie.2021.3137595.
- [23] A.-Q. Tian, S.-C. Chu, J.-S. Pan, H. Cui, and W.-M. Zheng, "A Compact Pigeon-Inspired Optimization for Maximum Short-Term Generation Mode in Cascade Hydroelectric Power Station," *Sustainability*, vol. 12, no. 3, p. 767, Jan. 2020, doi:10.3390/su12030767.
- [24] A. F. Jabbar and I. J. Mohammed, "BotDetectorFW: an optimized botnet detection framework based on five features-distance measures supported by comparisons of four machine learning classifiers using CICIDS2017 dataset," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 21, no. 1, p. 377, Jan. 2021, doi:10.11591/ijeecs.v21.i1.pp377-390.
- [25] A. Alsahaf, N. Petkov, V. Shenoy, and G. Azzopardi, "A framework for feature selection through boosting," *Expert Systems with Applications*, vol. 187, p. 115895, Jan. 2022, doi:10.1016/j.eswa.2021.115895.
- [26] M. Mera-Gaona, D. M. López, R. Vargas-Canas, and U. Neumann, "Framework for the Ensemble of Feature Selection Methods," *Applied Sciences*, vol. 11, no. 17, p. 8122, Sep. 2021, doi:10.3390/app11178122.
- [27] Z. Yang and B. Y. C. Hon, "An Improved Modified Extended tanh-Function Method," *Zeitschrift für Naturforschung A*, vol. 61, no. 3–4, pp. 103–115, Apr. 2006, doi: 10.1515/zna-2006-3-401.
- [28] X. Wang, J. Wu, Y. Wang, and C. Chen, "Extended Tanh-Function Method and Its Applications in Nonlocal Complex mKdV Equations," *Mathematics*, vol. 10, no. 18, p. 3250, Sep. 2022, doi:10.3390/math10183250.
- [29] E. H.M. Zahran and M. M.A. Khater, "Modified extended tanh-function method and its applications to the Bogoyavlenskii equation," *Applied Mathematical Modelling*, vol. 40, no. 3, pp. 1769–1775, Feb. 2016, doi: 10.1016/j.apm.2015.08.018.
- [30] S. A. Dukhnovsky, "The tanh-function method and the (G'/G)-expansion method for the kinetic McKean system," *Differencialnie Uravnenia i Protsesy Upravlenia*, vol. 2021, no. 2, 2021.
- [31] M. S. Ahmed, A. A. S. Zaghrout, and H. M. Ahmed, "Travelling wave solutions for the doubly dispersive equation using improved modified extended tanh-function method," *Alexandria Engineering Journal*, vol. 61, no. 10, pp. 7987–7994, Oct. 2022, doi: 10.1016/j.aej.2022.01.057.
- [32] S. A. Dukhnovsky, "A self-similar solution and the tanh-function method for the kinetic Carleman system," *Buletinul Academiei de Ştiinţe a Republicii Moldova. Matematica*, no. 1(98), pp. 99–110, Jul. 2022, doi: 10.56415/basm.y2022.il.p99.
- [33] U. Sadiya, M. Inc, M. A. Arefin, and M. H. Uddin, "Consistent travelling waves solutions to the non-linear time fractional Klein-Gordon and Sine-Gordon equations through extended tanh-function approach," *Journal of Taibah University for Science*, vol. 16, no. 1, pp. 594–607, Jun. 2022, doi: 10.1080/16583655.2022.2089396.
- [34] K. K. Ahmed, N. M. Badra, H. M. Ahmed, and W. B. Rabie, "Soliton Solutions and Other Solutions for Kundu–Eckhaus Equation with Quintic Nonlinearity and Raman Effect Using the Improved Modified Extended Tanh-Function Method," *Mathematics*, vol. 10, no. 22, p. 4203, Nov. 2022, doi: 10.3390/math10224203.
- [35] A. Devarakonda, N. Sharma, P. Saha, and S. Ramya, "Network intrusion detection: a comparative study of four classifiers using the NSL-KDD and KDD'99 datasets," *Journal of Physics: Conference Series*, vol. 2161, no. 1, p. 012043, Jan. 2022, doi: 10.1088/1742-6596/2161/1/012043.
- [36] S. Choudhary and N. Kesswani, "Analysis of KDD-Cup'99, NSL-KDD and UNSW-NB15 Datasets using Deep Learning in IoT," *Procedia Computer Science*, vol. 167, pp. 1561–1573, 2020, doi:10.1016/j.procs.2020.03.367.
- [37] L. Dhanabal and S. P. Shantharajah, "A Study on NSL-KDD Dataset for Intrusion Detection System Based on Classification Algorithms," *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 4, no. 6, 2015.
- [38] B. Samatha, T. Syamsundararao, and N. Karyemsetty, "Deep Learning Based Intrusion Prevention System in Vehicular Network," *Review of Computer Engineering Research*, vol. 9, no. 3, pp. 169–180, Sep. 2022, doi: 10.18488/76.v9i3.3145.
- [39] A. A. Mamun, S. N. Ananna, P. P. Gharami, T. An, and Md. Asaduzzaman, "The improved modified extended tanh-function method to develop the exact travelling wave solutions of a family of 3D fractional WBBM equations," *Results in Physics*, vol. 41, p. 105969, Oct. 2022, doi: 10.1016/j.rinp.2022.105969.
- [40] L. Md. B. Alam, X. Jiang, and A.-A.- Mamun, "Exact and explicit traveling wave solution to the time-fractional phi-four and (2+1) dimensional CBS equations using the modified extended tanh-function method in mathematical physics," *Partial Differential Equations in Applied Mathematics*, vol. 4, p. 100039, Dec. 2021, doi:10.1016/j.padiff.2021.100039.