





















- learning,” *Journal of Forecasting*, vol. 39, no. 7, pp. 1081–1097, Mar. 2020, doi: 10.1002/for.2677.
- [13] U. M. Sirisha, M. C. Belavagi, and G. Attigeri, “Profit Prediction Using ARIMA, SARIMA and LSTM Models in Time Series Forecasting: A Comparison,” *IEEE Access*, vol. 10, pp. 124715–124727, 2022, doi: 10.1109/access.2022.3224938.
- [14] T. C. Nokeri, “Forecasting Using ARIMA, SARIMA, and the Additive Model,” in *Implementing Machine Learning for Finance: A Systematic Approach to Predictive Risk and Performance Analysis for Investment Portfolios*, Berkeley, CA: Apress, 2021, pp. 21–50.
- [15] Z. Fang, X. Ma, H. Pan, G. Yang, and G. R. Arce, “Movement forecasting of financial time series based on adaptive LSTM-BN network,” *Expert Systems with Applications*, vol. 213, p. 119207, Mar. 2023, doi: 10.1016/j.eswa.2022.119207.
- [16] A. H. Bukhari, M. A. Z. Raja, M. Sulaiman, S. Islam, M. Shoaib, and P. Kumam, “Fractional Neuro-Sequential ARFIMA-LSTM for Financial Market Forecasting,” *IEEE Access*, vol. 8, pp. 71326–71338, 2020, doi: 10.1109/access.2020.2985763.
- [17] J. Cao, Z. Li, and J. Li, “Financial time series forecasting model based on CEEMDAN and LSTM,” *Physica A: Statistical Mechanics and its Applications*, vol. 519, pp. 127–139, Apr. 2019, doi:10.1016/j.physa.2018.11.061.
- [18] Q. Gu, Y. Chang, N. Xiong, and L. Chen, “Forecasting Nickel futures price based on the empirical wavelet transform and gradient boosting decision trees,” *Applied Soft Computing*, vol. 109, p. 107472, Sep. 2021, doi: 10.1016/j.asoc.2021.107472.
- [19] T. Le, B. Vo, H. Fujita, N.-T. Nguyen, and S. W. Baik, “A fast and accurate approach for bankruptcy forecasting using squared logistics loss with GPU-based extreme gradient boosting,” *Information Sciences*, vol. 494, pp. 294–310, Aug. 2019, doi:10.1016/j.ins.2019.04.060.
- [20] F. Zhou, Q. Zhang, D. Sornette, and L. Jiang, “Cascading logistic regression onto gradient boosted decision trees for forecasting and trading stock indices,” *Applied Soft Computing*, vol. 84, p. 105747, Nov. 2019, doi: 10.1016/j.asoc.2019.105747.
- [21] F. I. Durrah, Y. Yulia, T. P. Parhusip, and A. Rusyana, “Peramalan Jumlah Penumpang Pesawat Di Bandara Sultan Iskandar Muda Dengan Metode SARIMA (Seasonal Autoregressive Integrated Moving Average),” *Journal of Data Analysis*, vol. 1, no. 1, pp. 1–11, Sep. 2018, doi: 10.24815/jda.v1i1.11847.
- [22] N. S. Arunraj, D. Ahrens, and M. Fernandes, “Application of SARIMAX Model to Forecast Daily Sales in Food Retail Industry,” *International Journal of Operations Research and Information Systems*, vol. 7, no. 2, pp. 1–21, Apr. 2016, doi:10.4018/ijoris.2016040101.
- [23] A. Khumaidi, R. Raafi’udin, and I. P. Solihin, “Penguujian Algoritma Long Short-Term Memory untuk Prediksi Kualitas Udara dan Suhu Kota Bandung,” *J. Telemat.*, vol. 15, no. 1, pp. 13–18, 2020.
- [24] J. H. Friedman, “Greedy function approximation: A gradient boosting machine,” *The Annals of Statistics*, vol. 29, no. 5, Oct. 2001, doi:10.1214/aos/1013203451.
- [25] G. Ke *et al.*, “LightGBM: A highly efficient gradient boosting decision tree,” in *31st Conference on Neural Information Processing Systems (NIPS 2017)*, 2017, vol. 2017-Decem, no. Nips, pp. 3147–3155.
- [26] S. Makridakis, E. Spiliotis, and V. Assimakopoulos, “M5 accuracy competition: Results, findings, and conclusions,” *International Journal of Forecasting*, vol. 38, no. 4, pp. 1346–1364, Oct. 2022, doi: 10.1016/j.ijforecast.2021.11.013.
- [27] T. Chen *et al.*, “Prediction of Extubation Failure for Intensive Care Unit Patients Using Light Gradient Boosting Machine,” *IEEE Access*, vol. 7, pp. 150960–150968, 2019, doi: 10.1109/access.2019.2946980.
- [28] A. A. Taha and S. J. Malebary, “An Intelligent Approach to Credit Card Fraud Detection Using an Optimized Light Gradient Boosting Machine,” *IEEE Access*, vol. 8, pp. 25579–25587, 2020, doi:10.1109/access.2020.2971354.
- [29] M. Gan, S. Pan, Y. Chen, C. Cheng, H. Pan, and X. Zhu, “Application of the Machine Learning LightGBM Model to the Prediction of the Water Levels of the Lower Columbia River,” *Journal of Marine Science and Engineering*, vol. 9, no. 5, p. 496, May 2021, doi:10.3390/jmse9050496.
- [30] P. Pokhrel, “A LightGBM based Forecasting of Dominant Wave Periods in Oceanic Waters,” in *Proceedings of ACM Conference on Information and Knowledge Management. (CIKM’21)*, 2018, vol. 9.
- [31] A. M. Husein and M. Harahap, “Pendekatan Data Science untuk Menemukan Churn Pelanggan pada Sektor Perbankan dengan Machine Learning,” *Data Sciences Indonesia (DSI)*, vol. 1, no. 1, pp. 8–13, Nov. 2021, doi: 10.47709/dsi.v1i1.1169.
- [32] M. Chlebus, M. Dyczko, and M. Woźniak, “Nvidia’s Stock Returns Prediction Using Machine Learning Techniques for Time Series Forecasting Problem,” *Central European Economic Journal*, vol. 8, no. 55, pp. 44–62, Jan. 2021, doi: 10.2478/ceej-2021-0004.
- [33] J. Li, “Monthly Housing Rent Forecast based on LightGBM (Light Gradient Boosting) Model,” *NCCP Int. J. Intell. Inf. Manag. Sci.*, vol. 7, no. 6, pp. 2307–0692, 2018.
- [34] J. Wang, T. Ji, and M. Li, “A Combined Short-Term Forecast Model of Wind Power Based on Empirical Mode Decomposition and Augmented Dickey-Fuller Test,” *Journal of Physics: Conference Series*, vol. 2022, no. 1, p. 012017, Sep. 2021, doi: 10.1088/1742-6596/2022/1/012017.
- [35] M. Ahmed *et al.*, “Bubble Identification in the Emerging Economy Fuel Price Series: Evidence from Generalized Sup Augmented Dickey–Fuller Test,” *Processes*, vol. 10, no. 1, p. 65, Dec. 2021, doi:10.3390/pr10010065.
- [36] A. Kagalwala, “kpsstest: A command that implements the Kwiatkowski, Phillips, Schmidt, and Shin test with sample-specific critical values and reports p-values,” *The Stata Journal: Promoting communications on statistics and Stata*, vol. 22, no. 2, pp. 269–292, Jun. 2022, doi: 10.1177/1536867x221106371.
- [37] Marsani, Ani Shabri, Basri Badyalina, Nur Amalina Mat Jan, and Mohd Shareduwan Mohd Kasihmuddin, “Efficient Market Hypothesis for Malaysian Extreme Stock Return: Peaks over a Threshold Method,” *Mat. Mjim*, vol. 38, no. 2, pp. 141–155, 2022.
- [38] H. Alimohammadi and S. Nancy Chen, “Performance evaluation of outlier detection techniques in production timeseries: A systematic review and meta-analysis,” *Expert Systems with Applications*, vol. 191, p. 116371, Apr. 2022, doi: 10.1016/j.eswa.2021.116371.
- [39] A. Blázquez-García, A. Conde, U. Mori, and J. A. Lozano, “A Review on Outlier/Anomaly Detection in Time Series Data,” *ACM Computing Surveys*, vol. 54, no. 3, pp. 1–33, Apr. 2021, doi: 10.1145/3444690.
- [40] D. M. Belete and M. D. Huchaiah, “Grid search in hyperparameter optimization of machine learning models for prediction of HIV/AIDS test results,” *International Journal of Computers and Applications*, vol. 44, no. 9, pp. 875–886, Sep. 2021, doi:10.1080/1206212x.2021.1974663.
- [41] M. Adnan, A. A. S. Alarood, M. I. Uddin, and I. ur Rehman, “Utilizing grid search cross-validation with adaptive boosting for augmenting performance of machine learning models,” *PeerJ Computer Science*, vol. 8, p. e803, Feb. 2022, doi: 10.7717/peerj-cs.803.
- [42] S. Chen, H. Zhu, W. Liang, L. Yuan, and X. Wei, “A Stock Index Prediction Method and Trading Strategy Based on the Combination of Lasso-Grid Search-Random Forest,” in *Intelligent Computing and Block Chain*, 2021, pp. 431–448.