

language and the use of conjunctions that influence the sentiment value of a sentence.

Each Context Analysis feature is evaluated with ten queries, each of which contains data in the database and therefore does not return a null result. The system has succeeded in displaying a graphical representation of each query based on the features that are being run and on the query results that have been culled. Therefore, the Context Analysis system can aid in providing a more comprehensive description of sentiment analysis in general. To make it easier to use, a web-based user interface is currently being developed to display the feature's visualization graph.

REFERENCES

- [1] F. Wu, Y. Huang, and Y. Song, "Structured microblog sentiment classification via social context regularization," *Neurocomputing*, vol. 175, pp. 599–609, Jan. 2016, doi: 10.1016/j.neucom.2015.10.101.
- [2] S. Kemp, "Digital 2020: Indonesia," Indonesia, Feb. 18, 2020. [Online]. Available: <https://datareportal.com/reports/digital-2020-indonesia>, Accessed on: Dec 01, 2021.
- [3] K. Catur Bagus Wicaksono, "Mengukur Efektivitas Social Media Bagi Perusahaan," *Binus Business Review*, vol. 4, no. 1, pp. 551–564, May 2013, doi: 10.21512/bbr.v4i1.1419.
- [4] M. I. Mahdi, Jakarta, Indonesia. [Online]. Available: <https://dataindonesia.id>, Accessed on: May 11 2022.
- [5] J. A. Russell, "A circumplex model of affect," *J Pers Soc Psychol*, vol. 39, no. 6, pp. 1161–1178, Dec. 1980, doi: 10.1037/h0077714.
- [6] A. Kumar and G. Garg, "Systematic literature review on context-based sentiment analysis in social multimedia," *Multimed Tools Appl*, vol. 79, no. 21–22, pp. 15349–15380, Jun. 2020, doi: 10.1007/s11042-019-7346-5.
- [7] D. Naskar, S. R. Singh, D. Kumar, S. Nandi, and E. O. de la Rivaherrera, "Emotion Dynamics of Public Opinions on Twitter," *ACM Trans Inf Syst*, vol. 38, no. 2, pp. 1–24, Apr. 2020, doi: 10.1145/3379340.
- [8] A. T. Kabakus and R. Kara, "TwitterSentiDetector: a domain-independent Twitter sentiment analyser," *INFOR: Information Systems and Operational Research*, vol. 56, no. 2, pp. 137–162, Apr. 2018, doi: 10.1080/03155986.2017.1340797.
- [9] W. He, Z. Zhang, and V. Akula, "Comparing consumer-produced product reviews across multiple websites with sentiment classification," *Journal of Organizational Computing and Electronic Commerce*, vol. 28, no. 2, pp. 142–156, Apr. 2018, doi: 10.1080/10919392.2018.1444350.
- [10] M. T. F. Al Islami, A. R. Barakbah and A. Helen, "Ekstrak isu maskapai penerbangan pada media sosial dengan computational linguistics," Politeknik Elektronika Negeri Suarabaya, Surabaya, 2019.
- [11] M. T. F. Al Islami, A. R. Barakbah, and T. Harsono, "Social Media Engineering for Issues Feature Extraction using Categorization Knowledge Modelling and Rule-based Sentiment Analysis," *JOIV: International Journal on Informatics Visualization*, vol. 5, no. 1, Mar. 2021, doi: 10.30630/joiv.5.1.397.
- [12] B. J. M. Putra, A. Helen, and A. R. Barakbah, "Rule-based Sentiment Degree Measurement of Opinion Mining of Community Participatory in the Government of Surabaya," *EMITTER International Journal of Engineering Technology*, vol. 6, no. 2, pp. 200–216, Dec. 2018, doi: 10.24003/emitter.v6i2.275.
- [13] E. Çano and M. Morisio, "MoodyLyrics," in *Proceedings of the 2017 International Conference on Intelligent Systems, Metaheuristics & Swarm Intelligence*, New York, NY, USA: ACM, Mar. 2017, pp. 118–124. doi: 10.1145/3059336.3059340.
- [14] D. Naskar, S. Mokaddem, M. Rebollo, and E. Onaindia, "Sentiment Analysis in Social Networks through Topic Modeling".
- [15] K. Hullyyah, H. T. Sukmana, N. S. A. Bakar, and A. R. Ismail, "Indonesian Affective Word Resources Construction in Valence and Arousal Dimension for Sentiment Analysis," in *2018 6th International Conference on Cyber and IT Service Management (CITSM)*, IEEE, Aug. 2018, pp. 1–5. doi: 10.1109/CITSM.2018.8674370.
- [16] A. Kumar and G. Garg, "The Multifaceted Concept of Context in Sentiment Analysis," 2020, pp. 413–421. doi: 10.1007/978-981-15-1451-7_44.
- [17] R. Liu and L. Jin, "Sentiment analysis method based on the focus sentence and context for Chinese comment text," in *Proceedings of 2nd International Conference on Information Technology and Electronic Commerce*, IEEE, Dec. 2014, pp. 267–270. doi: 10.1109/ICITEC.2014.7105616.
- [18] S. Abudalfa and M. Ahmed, "Open Domain Context-Based Targeted Sentiment Analysis System," in *2019 IEEE 7th Palestinian International Conference on Electrical and Computer Engineering (PICECE)*, IEEE, Mar. 2019, pp. 1–5. doi: 10.1109/PICECE.2019.8747187.
- [19] A. Vanzo, D. Croce, and R. Basili, "A context-based model for Sentiment Analysis in Twitter." [Online]. Available: <http://expandedramblings.com/>.
- [20] A. A. Jalal, "Text Mining: Design of Interactive Search Engine Based Regular Expressions of Online Automobile Advertisements," *International Journal of Engineering Pedagogy (IJEP)*, vol. 10, no. 3, p. 35, May 2020, doi: 10.3991/ijep.v10i3.12419.
- [21] B. Liu, "Sentiment Analysis and Opinion Mining," *Synthesis Lectures on Human Language Technologies*, vol. 5, no. 1, pp. 1–167, May 2012, doi: 10.2200/S00416ED1V01Y201204HLT016.
- [22] I. Rasyada, Y. Setiowati, A. Barakbah, and M. T. Fiddin Al Islami, "Sentiment Analysis of BPJS Kesehatan's Services Based on Affective Models," in *2020 International Electronics Symposium (IES)*, IEEE, Sep. 2020, pp. 549–556. doi: 10.1109/IES50839.2020.9231940.
- [23] L. Feldman Barrett and J. A. Russell, "Independence and bipolarity in the structure of current affect," *J Pers Soc Psychol*, vol. 74, no. 4, pp. 967–984, Apr. 1998, doi: 10.1037/0022-3514.74.4.967.
- [24] S. Wojowasito and T. Wasito, *Kamus Lengkap : Inggris - Indonesia ; Indonesia - Inggris dengan Ejaan Yang Disempurnakan*. Jakarta: Hasta, 2007.
- [25] A. Hume, L. Cernuzzi, and J. L. Zarza, "Analysis of the Big-Five personality traits in the Chatbot 'UC-Paraguay,'" 2022. [Online]. Available: <https://www.itu.int/en/ITU-D/Statistics/Pages/facts/default.aspx>.
- [26] V. Balakrishnan, S. Khan, T. Fernandez, and H. R. Arabnia, "Cyberbullying detection on twitter using Big Five and Dark Triad features," *Pers Individ Dif*, vol. 141, pp. 252–257, Apr. 2019, doi: 10.1016/j.paid.2019.01.024.
- [27] K. Kircaburun, S. Alhabash, Ş. B. Tosuntaş, and M. D. Griffiths, "Uses and Gratifications of Problematic Social Media Use Among University Students: a Simultaneous Examination of the Big Five of Personality Traits, Social Media Platforms, and Social Media Use Motives," *Int J Ment Health Addict*, vol. 18, no. 3, pp. 525–547, Jun. 2020, doi: 10.1007/s11469-018-9940-6.
- [28] S. M. Mohammad and P. D. Turney, "Crowdsourcing A Word-Emotion Association Lexicon," *Comput Intell*, vol. 29, no. 3, pp. 436–465, Aug. 2013, doi: 10.1111/j.1467-8640.2012.00460.x.
- [29] W. Maharani and V. Effendy, "Big five personality prediction based in Indonesian tweets using machine learning methods," *International Journal of Electrical and Computer Engineering*, vol. 12, no. 2, pp. 1973–1981, Apr. 2022, doi: 10.11591/ijece.v12i2.pp1973-1981.
- [30] K. Faiqoh, A. R. Brakbah and A. Helen, "Klasifikasi kepribadian user menggunakan multi label classification," Politeknik elektronika negeri Suarabaya, Surabaya, 2017.
- [31] D. Chicco and G. Jurman, "The advantages of the Matthews correlation coefficient (MCC) over F1 score and accuracy in binary classification evaluation," *BMC Genomics*, vol. 21, no. 1, p. 6, Dec. 2020, doi: 10.1186/s12864-019-6413-7.