

ACKNOWLEDGMENT

This research was funded by the Budget and Annual Work Plan of the Research and Community Engagement Institute of Universitas Pendidikan Indonesia for the Fiscal Year 2023, under the Decree of the Rector Number: No. 535/UN40/PT.01.02/2023.

REFERENCES

- [1] N. Purohit and S. Panwar, "State-of-the-Art: Offline Writer Identification Methodologies," 2021 International Conference on Computer Communication and Informatics (ICCCI), Jan. 2021, doi:10.1109/iccci50826.2021.9402539.
- [2] T. Bahram, "A texture-based approach for offline writer identification," Journal of King Saud University - Computer and Information Sciences, vol. 34, no. 8, pp. 5204–5222, Sep. 2022, doi:10.1016/j.jksuci.2022.06.003.
- [3] M. Chammas, A. Makhoul, and J. Demerjian, "Writer identification for historical handwritten documents using a single feature extraction method," 2020 19th IEEE International Conference on Machine Learning and Applications (ICMLA), Dec. 2020, doi:10.1109/icmla51294.2020.00010.
- [4] V. Christlein, D. Bernecker, F. Höning, A. Maier, and E. Angelopoulou, "Writer Identification Using GMM Supervectors and Exemplar-SVMs," Pattern Recognition, vol. 63, pp. 258–267, Mar. 2017, doi:10.1016/j.patcog.2016.10.005.
- [5] M. Shabir, N. Islam, Z. Jan, and I. Khan, "Transformation Invariant Pashto Handwritten Text Classification and Prediction," Journal of Circuits, Systems and Computers, vol. 32, no. 02, Aug. 2022, doi:10.1142/s0218126623500202.
- [6] A. Rehman, S. Naz, M. I. Razzak, and I. A. Hameed, "Automatic Visual Features for Writer Identification: A Deep Learning Approach," IEEE Access, vol. 7, pp. 17149–17157, 2019, doi:10.1109/access.2018.2890810.
- [7] A. Semma, Y. Hannad, I. Siddiqi, C. Djeddi, and M. El Youssfi El Kettani, "Writer Identification using Deep Learning with FAST Keypoints and Harris corner detector," Expert Systems with Applications, vol. 184, p. 115473, Dec. 2021, doi:10.1016/j.eswa.2021.115473.
- [8] S. He and L. Schomaker, "Deep adaptive learning for writer identification based on single handwritten word images," Pattern Recognition, vol. 88, pp. 64–74, Apr. 2019, doi:10.1016/j.patcog.2018.11.003.
- [9] S. He and L. Schomaker, "GR-RNN: Global-Context Residual Recurrent Neural Networks for Writer Identification," arXiv, Apr. 11, 2021. Accessed: Aug. 01, 2023. [Online]. Available: <http://arxiv.org/abs/2104.05036>
- [10] L. G. Helal, D. Bertolini, Y. M. G. Costa, G. D. C. Cavalcanti, A. S. Britto, and L. E. S. Oliveira, "Representation Learning and Dissimilarity for Writer Identification," 2019 International Conference on Systems, Signals and Image Processing (IWSSIP), Jun. 2019, doi:10.1109/iwSSIP.2019.8787293.
- [11] V. Christlein, M. Gropp, S. Fiel, and A. Maier, "Unsupervised Feature Learning for Writer Identification and Writer Retrieval," 2017 14th IAPR International Conference on Document Analysis and Recognition (ICDAR), Nov. 2017, doi: 10.1109/icdar.2017.165.
- [12] S. Chen, Y. Wang, C.-T. Lin, W. Ding, and Z. Cao, "Semi-supervised Feature Learning For Improving Writer Identification," 2018, doi:10.48550/ARXIV.1807.05490.
- [13] S. He and L. Schomaker, "FragNet: Writer Identification Using Deep Fragment Networks," IEEE Transactions on Information Forensics and Security, vol. 15, pp. 3013–3022, 2020, doi:10.1109/tifs.2020.2981236.
- [14] P. Kumar and A. Sharma, "Segmentation-free writer identification based on convolutional neural network," Computers & Electrical Engineering, vol. 85, p. 106707, Jul. 2020, doi:10.1016/j.compeleceng.2020.106707.
- [15] L. Xing and Y. Qiao, "DeepWriter: A Multi-Stream Deep CNN for Text-independent Writer Identification." arXiv, Aug. 02, 2016. Accessed: Aug. 16, 2023. [Online]. Available: <http://arxiv.org/abs/1606.06472>
- [16] A. Sulaiman, K. Omar, M. F. Nasrudin, and A. Arram, "Length Independent Writer Identification Based on the Fusion of Deep and Hand-Crafted Descriptors," IEEE Access, vol. 7, pp. 91772–91784, 2019, doi: 10.1109/access.2019.2927286.
- [17] W. Suteddy, D. A. R. Agustini, A. Adiwilaga, and D. A. Atmanto, "End-To-End Evaluation of Deep Learning Architectures for Off-Line Handwriting Writer Identification: A Comparative Study," JOIV : International Journal on Informatics Visualization, vol. 7, no. 1, p. 178, Feb. 2023, doi: 10.30630/joiv.7.1.1293.
- [18] S. Dey, A. Dutta, J. I. Toledo, S. K. Ghosh, J. Lladós, and U. Pal, "SigNet: Convolutional Siamese Network for Writer Independent Offline Signature Verification." arXiv, Sep. 30, 2017. Accessed: Aug. 01, 2023. [Online]. Available: <http://arxiv.org/abs/1707.02131>
- [19] W. Xiao and Y. Ding, "A Two-Stage Siamese Network Model for Offline Handwritten Signature Verification," Symmetry, vol. 14, no. 6, p. 1216, Jun. 2022, doi: 10.3390/sym14061216.
- [20] N. Sharma et al., "Siamese Convolutional Neural Network-Based Twin Structure Model for Independent Offline Signature Verification," Sustainability, vol. 14, no. 18, p. 11484, Sep. 2022, doi:10.3390/su141811484.
- [21] C. Adak, S. Marinai, B. B. Chaudhuri, and M. Blumenstein, "Offline Bengali Writer Verification by PDF-CNN and Siamese Net," 2018 13th IAPR International Workshop on Document Analysis Systems (DAS), Apr. 2018, doi: 10.1109/das.2018.33.
- [22] V. Kumar and S. Sundaram, "Siamese based Neural Network for Offline Writer Identification on word level data," 2022, doi:10.48550/ARXIV.2211.14443.
- [23] N. Dlamini and T. L. van Zyl, "Author Identification from Handwritten Characters using Siamese CNN," 2019 International Multidisciplinary Information Technology and Engineering Conference (IMITEC), Nov. 2019, doi:10.1109/imitec45504.2019.9015897.
- [24] U.-V. Marti and H. Bunke, "The IAM-database: an English sentence database for offline handwriting recognition," International Journal on Document Analysis and Recognition, vol. 5, no. 1, pp. 39–46, Nov. 2002, doi: 10.1007/s100320200071.
- [25] F. Kleber, S. Fiel, M. Diem, and R. Sablatnig, "CVL-DataBase: An Off-Line Database for Writer Retrieval, Writer Identification and Word Spotting," 2013 12th International Conference on Document Analysis and Recognition, Aug. 2013, doi: 10.1109/icdar.2013.117.
- [26] F. Chollet, "Xception: Deep Learning with Depthwise Separable Convolutions," 2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), Jul. 2017, doi: 10.1109/cvpr.2017.195.
- [27] L. Utkin, M. Kovalev, and E. Kasimov, "An Explanation Method for Siamese Neural Networks," Smart Innovation, Systems and Technologies, pp. 219–230, 2021, doi: 10.1007/978-981-33-6632-9_19.
- [28] C. Saedi and M. Dras, "Siamese networks for large-scale author identification," Computer Speech & Language, vol. 70, p. 101241, Nov. 2021, doi: 10.1016/j.csl.2021.101241.
- [29] V. Ruiz, I. Linares, A. Sanchez, and J. F. Velez, "Off-line handwritten signature verification using compositional synthetic generation of signatures and Siamese Neural Networks," Neurocomputing, vol. 374, pp. 30–41, Jan. 2020, doi: 10.1016/j.neucom.2019.09.041.
- [30] B. Soujanya, C. Suresh, and T. Sitamahalakshmi, "Hand Written Character Identification of Kha Guninatham with Siamese CNN Network," Advances in Dynamical Systems and Applications, vol. 16, no. 2, pp. 1333–1347, 2021.