



















- [24] R. Panthong, "Combining SMOTE and OVA with Deep Learning and Ensemble Classifiers for Multiclass Imbalanced," 2022, doi:10.3844/jcssp.2022.732.742.
- [25] X. Jiang, J. Wang, and J. Wang, "An adaptive multi-class imbalanced classification framework based on ensemble methods and deep network," *Neural Comput Appl*, vol. 35, no. 15, pp. 11141–11159, 2023, doi: 10.1007/s00521-023-08290-w.
- [26] A. A. Khan, O. Chaudhari, and R. Chandra, "A review of ensemble learning and data augmentation models for class imbalanced problems: combination, implementation and evaluation," 2023, [Online]. Available: <http://arxiv.org/abs/2304.02858>
- [27] A. Taherkhani, G. Cosma, and T. M. McGinnity, "AdaBoost-CNN: An adaptive boosting algorithm for convolutional neural networks to classify multi-class imbalanced datasets using transfer learning," *Neurocomputing*, vol. 404, pp. 351–366, 2020, doi:10.1016/j.neucom.2020.03.064.
- [28] Babayomi M, Olagbaju OA, Kadiri AA, "Convolutional XGBoost (C-XGBOOST) Model for Brain Tumor Detection," Jan.2023, arXiv preprint arXiv:2301.02317.
- [29] Q. Lv *et al.*, "Enhanced-Random-Feature-Subspace-Based Ensemble CNN for the Imbalanced Hyperspectral Image Classification," *IEEE J Sel Top Appl Earth Obs Remote Sens*, vol. 14, pp. 3988–3999, 2021, doi: 10.1109/JSTARS.2021.3069013.
- [30] B. Choudhary, A. Babu, and U. T. B, *An Ensemble MultiLabel Classifier for Intra-Cranial Haemorrhage Detection from Large, Heterogeneous and Imbalanced Database*, vol. 2. Springer Nature Switzerland. doi: 10.1007/978-3-031-27609-5.
- [31] H. Zhao, J. Jin, Y. Liu, Y. Shen, and Y. Jiang, "AdaBoost-MICNN: A new network framework for pulsar candidate selection," *Mon Not R Astron Soc*, vol. 513, no. 2, pp. 2869–2883, 2022, doi:10.1093/mnras/stac619.
- [32] U. Chinta and A. Atyabi, "A Framework Pipeline to Address Imbalanced Class Distribution Problem in Real-world Datasets," *2023 IEEE 13th Annual Computing and Communication Workshop and Conference (CCWC)*, pp. 746–753, 2023, doi:10.1109/CCWC57344.2023.10099163.
- [33] H. P. Chou, S. C. Chang, J. Y. Pan, W. Wei, and D. C. Juan, "Remix: Rebalanced Mixup," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 12540 LNCS, pp. 95–110, 2020, doi:10.1007/978-3-030-65414-6\_9.
- [34] Buda, M., Maki, A., & Mazurowski, M. A. (2018). A systematic study of the class imbalance problem in convolutional neural networks. *Neural Networks*, 106, 249–259. doi: 10.1016/j.neunet.2018.07.011
- [35] J. Hao and T. K. Ho, "Machine Learning Made Easy: A Review of Scikit-learn Package in Python Programming Language," *Journal of Educational and Behavioral Statistics*, vol. 44, no. 3, pp. 348–361, 2019, doi: 10.3102/1076998619832248.
- [36] M. Sokolova and G. Lapalme, "A systematic analysis of performance measures for classification tasks," *Inf Process Manag*, vol. 45, no. 4, pp. 427–437, 2009, doi: 10.1016/j.ipm.2009.03.002.