

- doi: 10.3390/s16081163.
- [20] S. Matindoust, M. Baghaei-Nejad, M. H. S. Abadi, Z. Zou, and L. R. Zheng, "Food quality and safety monitoring using gas sensor array in intelligent packaging," *Sens. Rev.*, vol. 36, no. 2, pp. 169–183, 2016, doi: 10.1108/SR-07-2015-0115.
- [21] C. S. Prajapati, R. Soman, S. B. Rudraswamy, M. Nayak, and N. Bhat, "Single Chip Gas Sensor Array for Air Quality Monitoring," *J. Microelectromechanical Syst.*, vol. 26, no. 2, pp. 433–439, 2017, doi:10.1109/JMEMS.2017.2657788.
- [22] F. Mujaahid, A. Malik Hizbullaha, F. Dhimas Syahfitri, M. Abduh Dahlan, and N. Dwi Juliansyah, "Development of User Interface Based on LabVIEW for Unmanned Aircraft Application," *J. Electr. Technol. UMY*, vol. 1, no. 2, pp. 106–111, 2017, doi: 10.18196/jet.1214.
- [23] R. El Dahr, X. Lignos, S. Papaveros, and I. Vayas, "Development and Validation of a LabVIEW Automated Software System for Displacement and Dynamic Modal Parameters Analysis Purposes," *Modelling*, vol. 4, no. 2, pp. 189–210, 2023, doi:10.3390/modelling4020011.
- [24] Andrizal, R. Chadry, and A. I. Suryani, "Embedded system using field programmable gate array (Fpga) myrio and labview programming to obtain data pattern emission of car engine combustion categories," *Int. J. Informatics Vis.*, vol. 2, no. 2, pp. 56–62, 2018, doi:10.30630/joiv.2.2.50.
- [25] Y. Y. and L. W. P. Richard P. Bagozzi, "Bogazzi_Assesing Construct Validity in Organiational Research," *Adm. Sci. Q.*, vol. 36, no. 3, pp. 421–458, 2017.
- [26] W. Siong Kwong, A. Ubin, and M. Z. Mohd Jenu, "Cyclist Monitoring System using NI myRIO-1900," *MATEC Web Conf.*, vol. 150, pp. 1–6, 2018, doi: 10.1051/mateconf/201815001006.
- [27] T. Tugino, A. Ardityawan, O. Yuliani, A. Asniar, and A. Basuki, "Application of Embedded Hardware Device NI myRIO 1900 as a Control Unit for Miniature Mixing Plant," 2021, doi: 10.4108/eai.30-8-2021.2311523.
- [28] N. A. Othman, N. S. Damanhuri, M. A. Syafiq Mazalan, S. A. Shamsuddin, M. H. Abbas, and B. C. Chiew Meng, "Automated water quality monitoring system development via LabVIEW for aquaculture industry (Tilapia) in Malaysia," *Indones. J. Electr. Eng. Comput. Sci.*, vol. 20, no. 2, pp. 805–812, 2020, doi: 10.11591/ijeecs.v20.i2.pp805-812.
- [29] P. S. Naveen and K. R. R. M. Rao, "Ni myrio based smart robot with authentication switch," *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 6, pp. 88–91, 2019.
- [30] K. Swain, M. Cherukuri, S. K. Mishra, B. Appasani, S. Patnaik, and N. Bizon, "Li-care: A labview and iot based ehealth monitoring system," *Electron.*, vol. 10, no. 24, pp. 1–15, 2021, doi:10.3390/electronics10243137.