

- doi: 10.3390/info11020106.
- [21] K. Shah, H. Patel, D. Sanghvi, and M. Shah, "A Comparative Analysis of Logistic Regression, Random Forest and KNN Models for the Text Classification," *Augment. Hum. Res.*, vol. 5, no. 1, 2020, doi: 10.1007/s41133-020-00032-0.
- [22] D. M. W. Powers, "Evaluation: from precision, recall and F-measure to ROC, informedness, markedness and correlation," pp. 37–63, 2020.
- [23] R. Doon, T. Kumar Rawat, and S. Gautam, "Cifar-10 classification using deep convolutional neural network," in *1st International Conference on Data Science and Analytics, PuneCon 2018 - Proceedings*, 2018, no. x, pp. 1–5, doi: 10.1109/PUNECON.2018.8745428.
- [24] Chandrapaul, R. Soni, S. Sharma, H. Fagna, and S. Mittal, "News analysis using word cloud," in *Lecture Notes in Electrical Engineering*, 2019, vol. 526, pp. 55–64, doi: 10.1007/978-981-13-2553-3_6.
- [25] A. Haidar, B. Verma, and R. Haidar, "A Swarm based Optimization of the XGBoost Parameters," vol. 16, no. 4, pp. 74–81.
- [26] C. Bian, H. He, and S. Yang, "Stacked bidirectional long short-term memory networks for state-of-charge estimation of lithium-ion batteries," *Energy*, vol. 191, p. 116538, 2020, doi: 10.1016/j.energy.2019.116538.
- [27] T. Jiang, D. Wang, L. Sun, H. Yang, Z. Zhao, and F. Zhuang, "LightXML: Transformer with Dynamic Negative Sampling for High-Performance Extreme Multi-label Text Classification," 2021.
- [28] G. Chen, P. Chen, Y. Shi, C.-Y. Hsieh, B. Liao, and S. Zhang, "Rethinking the Usage of Batch Normalization and Dropout in the Training of Deep Neural Networks," 2019.
- [29] B. Škrlić, J. Kralj, N. Lavrač, and S. Pollak, "Towards Robust Text Classification with Semantics-Aware Recurrent Neural Architecture," *Mach. Learn. Knowl. Extr.*, vol. 1, no. 2, pp. 575–589, 2019, doi: 10.3390/make1020034.
- [30] S. Sun, Z. Cao, H. Zhu, and J. Zhao, "A Survey of Optimization Methods from a Machine Learning Perspective," *IEEE Trans. Cybern.*, vol. 50, no. 8, pp. 3668–3681, 2020, doi: 10.1109/TCYB.2019.2950779.
- [31] Z. Yang *et al.*, "TextBrewer: An Open-Source Knowledge Distillation Toolkit for Natural Language Processing," 2020, pp. 9–16, doi: 10.18653/v1/2020.acl-demos.2.