





















- [36] S. A. Alshebeili *et al.*, "Inspection of EEG signals for efficient seizure prediction," *Appl. Acoust.*, vol. 166, p. 107327, 2020, doi:10.1016/j.apacoust.2020.107327.
- [37] M. Savadkoobi, T. Oladunni, and L. Thompson, "A machine learning approach to epileptic seizure prediction using Electroencephalogram (EEG) Signal," *Biocybern. Biomed. Eng.*, vol. 40, no. 3, pp. 1328–1341, 2020, doi: 10.1016/j.bbe.2020.07.004.
- [38] B. Richhariya and M. Tanveer, "EEG signal classification using universum support vector machine," *Expert Syst. Appl.*, vol. 106, pp. 169–182, 2018, doi: 10.1016/j.eswa.2018.03.053.
- [39] I. F. Warsito, A. Hunold, J. Hauelsen, and E. Supriyanto, "Performance Evaluation of Capacitive Based Force Sensor for Electroencephalography Head Caps," *Int. J. Robot. Autom. Sci.*, vol. 2, pp. 1–5, 2024, doi: 10.33093/ijoras.2020.2.1.
- [40] A. Gupta, P. Singh, and M. Karlekar, "A novel signal modeling approach for classification of seizure and seizure-free EEG signals," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 26, no. 5, pp. 925–935, 2018, doi: 10.1109/tnsre.2018.2818123.
- [41] G. Xiao, M. Shi, M. Ye, B. Xu, Z. Chen, and Q. Ren, "4D attention-based neural network for EEG emotion recognition," *Cogn. Neurodyn.*, vol. 16, no. 4, pp. 805–818, 2022, doi: 10.1007/s11571-021-09751-5.
- [42] B. Wang, Z. Xu, T. Luo, and J. Pan, "EEG-Based Closed-Loop Neurofeedback for Attention Monitoring and Training in Young Adults," *J. Healthc. Eng.*, vol. 2021, p. 5535810, 2021, doi:10.1155/2021/5535810.
- [43] G. C. Jana, R. Sharma, and A. Agrawal, "A 1D-CNN-Spectrogram Based Approach for Seizure Detection from EEG Signal," *Procedia Comput. Sci.*, vol. 167, no. 2019, pp. 403–412, 2020, doi:10.1016/j.procs.2020.03.248.
- [44] K. L. Lew, K. S. Sim, S. C. Tan, and F. S. Abas, "Biofeedback Upper Limb Assessment Using Electroencephalogram, Electromyographic, and Electrocardiographic with Machine Learning in Signal Classification," *Eng. Lett.*, vol. 30, no. 3, pp. 935–947, 2022.
- [45] S. Fawaz, K. S. Sim, and S. C. Tan, "Encoding Rich Frequencies for Classification of Stroke Patients EEG Signals," *IEEE Access*, vol. 8, pp. 135811–135820, 2020, doi: 10.1109/access.2020.3011185.
- [46] I. Obeid and J. Picone, "Temple University Hospital EEG Data Corpus," *Front Neurosci.* Accessed: Mar. 25, 2024. [Online]. Available: [https://isip.piconepress.com/projects/tuh\\_eeg/index.shtml](https://isip.piconepress.com/projects/tuh_eeg/index.shtml)
- [47] A. Paszke *et al.*, "PyTorch: An imperative style, high-performance deep learning library," *Adv. Neural Inf. Process. Syst.*, vol. 32, no. NeurIPS, 2019, doi: 10.48550/arXiv.1912.01703.
- [48] A. Mao, M. Mohri, and Y. Zhong, "Cross-Entropy Loss Functions: Theoretical Analysis and Applications," 2023, doi:10.48550/arXiv.2304.07288.
- [49] D. P. Kingma and J. L. Ba, "Adam: A method for stochastic optimization," in *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 2015, pp. 1–15.